

## tesa EasySplice® 51788 Black Plus

### Multifunctional splicing tape with integrated optical detection feature

tesa® 51788 EasySplice® Black Plus is a double-sided integrated flying splice tape consisting of a flat-back paper and an acrylic adhesive.

tesa® 51788 EasySplice® Black Plus features especially

- Very high tack properties
- Very high shear resistance
- Extremely good heat resistance
- Best adhesion on coated and uncoated paper
- Low splice thickness
- Reliable detection of splice position
- Smooth and easy application due to a flexible backing

The innovative tape composition includes the following functions:

- Slit liner for the secure fixation of the top sheet
- Black backing for a reliable optical detection of the splice position
- Adhesive formulation with very high tack properties for excellent contact between expiring web and new reel
- One splitting strip with paper backing for a smooth opening of the new paper reel without jeopardising the printing process

Colour: Black

## Main Application

tesa® 51788 EasySplice® Black Plus is particularly suitable for:

- Flying splices in web printing industry

## Technical Data

▪ Backing material	flat paper	▪ Elongation at break	7 %
▪ Color	black	▪ Tensile strength	29 N/cm
▪ Total thickness	110 µm	▪ Shelf life time (packed) < 25°C	18 months

For latest information on this product please visit <http://l.tesa.com/?ip=51788>

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All technical information and data above mentioned are provided to the best of our knowledge on the basis of our practical experience. They shall be considered as average values and are not appropriate for a specification. Therefore tesa SE can make no warranties, expressed or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. The user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.